

REVO

With a fully-articulating body, Revo seamlessly bends, tilts, twists, and turns—just how you want it. And with the optional occupancy sensor, it shines when you want it—automatically turning on when you're present and off when you're not. Or for more control, its highly-efficient, dimmable light adjusts with a single touch. An optional integrated USB port in the base allows for charging of mobile devices. **Proudly designed and manufactured in Grand Haven, Michigan.**

Mounting Options

Freestanding base
Freestanding base with USB
Surface mount
Clamp mount
Slat Wall mount
Panel mount



REVO

Features

- Choose from single or double arm
- Available in 34 colors and multiple mounting options
- Automatic shut-off after 10 hours
- Continuous dimming from 100%–15% with last state memory
- Optional occupancy sensor available
- Optional USB charging available in freestanding base


Specifications

Power consumption:	7.5 system watts; 13.5 system watts w/USB option
Color temperature:	3500K
Luminosity:	337 lumens
Efficacy:	45 Lm/W
Color rendering index:	85 CRI
Rated lifespan:	> 50,000 hours
Number of LEDs:	18 fractional LEDs
Cord:	3' quick connect in silver
Power supply:	9' (18W) black cord
USB Charge Port:	5V, 1.2A max., Type A

Finishes



Dimensions



REVO

Photometric Data

Footcandle outputs measured at 15" from the work surface.

	18"	12"	6"	CL	6"	12"	18"
12"	4	10	20	27	20	10	4
6"	7	21	53	76	53	21	7
CL	8	27	76	114	76	27	8
6"	7	21	53	76	53	21	7
12"	4	10	20	27	20	10	4

Sustainability Notes

- Made with fully-recyclable aluminum and plastic
- Energy-saving features such as auto shut-off and dimming included; optional occupancy sensor available
- Lower power consumption
- Mercury-free
- Potential LEED points: **Interior Lighting** (possible 2 points), **Interior Lighting Controls** (possible 1 point). For more LEED information please visit <https://new.usgbc.org/leed-v41>

Certifications



ETL listed: compliant to UL 153/8750 & CSA C22.2 No. 250.4; FCC Part 15 Class B; TAA; BAA; CEC Title 20

Warranty

The Revo fixture is warranted for a period of 10 years. Revo power supplies are warranted for 5 years.