


CLIQUE

Create a tailored under shelf lighting solution in a snap. Clique is comprised of compact, modular units designed to easily connect to one another. It is available in four lengths and features an 18-watt wall transformer that allows for effortless cord management. **Proudly designed and manufactured in Grand Haven, Michigan.**

Finish



Silver



CLIQUE

Features


- Extra-long rated life
- Single-touch on/off

Specifications

Lengths:	12", 22", 32", 42"
Power consumption:	see chart below
Color temperature:	3500K
Luminosity:	see chart below
Color rendering index:	83 CRI
Rated lifespan:	> 60,000 hours
Number of LEDs:	see chart below
Power supply:	9' (18W) black cord

	# of LEDs	Lumens	Wattage	System
12"	12	324	5.0	5.1
22"	24	639	9.0	9.8
32"	36	951	12.0	14.12
42"	48	1244	16.0	18.15

Dimensions



Sustainability Notes

- Made with fully-recyclable plastic
- Lower power consumption
- Mercury-free
- Potential LEED points: **Interior Lighting** (possible 2 points). For more LEED information please visit <https://new.usgbc.org/leed-v41>

Certifications



ETL listed: compliant to UL 153/8750 & CSA C22.2 No. 250.4; TAA; BAA; CEC Title 20

Warranty

The Clique fixture is warranted for a period of 5 years.

	Actual Length	Suggested Shelf Size
12"	11.1"	24"
22"	21.2"	30"-36"
32"	31.2"	42"-48"
42"	41.3"	54"-60"

CLIQUE

Photometric Data

Footcandle outputs measured at 18" from the work surface.

12" Fixture	18"	12"	6"	CL	6"	12"	18"	22" Fixture	18"	12"	6"	CL	6"	12"	18"
12"	8	14	22	25	22	14	8	12"	17	27	37	40	35	26	16
6"	11	21	36	44	36	21	11	6"	23	42	61	68	59	39	21
CL	12	25	44	55	44	25	12	CL	26	49	74	82	69	45	24
6"	11	21	36	44	36	21	11	6"	23	42	61	68	59	39	21
12"	8	14	22	25	22	14	8	12"	17	27	37	40	35	26	16

32" Fixture	18"	12"	6"	CL	6"	12"	18"	42" Fixture	18"	12"	6"	CL	6"	12"	18"
12"	27	39	48	51	47	37	26	12"	41	51	57	57	55	48	37
6"	41	63	78	82	75	60	39	6"	65	84	90	90	87	77	58
CL	47	75	90	98	90	71	45	CL	77	99	107	107	102	90	68
6"	41	63	78	82	75	60	39	6"	65	84	90	90	87	77	58
12"	27	39	48	51	47	37	26	12"	41	51	57	57	55	48	37